

Web login

192.168.1.1

Username:

Password:

VerificationCode:

9ycu1

WEB Manager

Network

Gateway Name: IGD

| Status | Network | Security | Application | Management | Diagnose | Help |
|--------------------------|-------------------------|--------------------------------|----------------------|------------------------|------------------------------------|---------------------|
| Internet | Binding | LAN IP Address | WLAN | Remote | LOID Configuration | QoS |
| | | | | Time | Router | |

WAN Configuration

Connection Name:

Mode:

IP Protocol Mode:

DHCP Get an address from ISP
 Static Get a static IP address from ISP
 PPPoE Select this when using PPPOE
 Enable PPPOE Proxy

Enable NAT:

Enable Vlan:

Vlan ID:

802.1p:

MTU:

UserName:

PassWord:

Service Name:

PPP Type:

Service Mode:

Turn off LAN DHCP:

Port binding:

Port_1 Port_2

WLAN(SSID1)

Note: The bound port can not be shared by different WAN connections, and the last binding operation will overwrite the previous one!

WEB Manager

Gateway Name: IGDLogout

Network

Status

Network

Security

Application

Management

Diagnose

Help

Internet

Binding

LAN IP Address

WLAN

Remote

LOID Configuration

QoS

Time

Router

Internet Connection

NAT Configuration

WAN Configuration

Connection Name:

Mode:

IP Protocol Mode:

DHCP Get an address from ISP

Static Get a static IP address from ISP

PPPoE Select this when using PPPOE

Enable Vlan:

Vlan ID:

802.1p:

MTU:

IP Address:

Subnet Mask:

Default Gateway:

Request DNS: Enable Disable

Primary DNS:

Secondary DNS:

Service Mode:

Turn off LAN DHCP:

2971422 CDOT OK 29/07/2020
ad5322971422_nid@ftth.bsnl.in

| | |
|-----------------|------------------|
| IP Address | : 10.106.150.249 |
| Subnet Mask | : 255.255.255.0 |
| Default Gateway | : 10.106.150.1 |
| Primary DNS | : 8.8.8.8 |
| Secondary DNS | : 4.4.4.4 |
| Service Mode | : VOICE |

WEB Manager

Gateway Name: IGD [Logout](#)

| | | | | | | | | |
|----------------|----------|---------|----------------|-------------|------------|--------------------|------|------|
| Network | Status | Network | Security | Application | Management | Diagnose | Help | |
| | Internet | Binding | LAN IP Address | WLAN | Remote | LOID Configuration | QoS | Time |

WAN Configuration

Internet Connection

NAT Configuration

Connection Name:

Mode:

IP Protocol Mode:

DHCP
Get an address from ISP

Static
Get a static IP address from ISP

PPPoE
Select this when using PPPOE

Enable Vlan:

Vlan ID:

802.1p:

MTU:

IP Address:

Subnet Mask:

Default Gateway:

Request DNS: Enable
 Disable

Primary DNS:

Secondary DNS:

Service Mode:

Turn off LAN DHCP:

WEB Manager

Gateway Name: IGD [Logout](#)

| | | | | | | | |
|--------------------|--------------|---------|----------|-------------|------------|-------------------|------|
| Application | Status | Network | Security | Application | Management | Diagnose | Help |
| | Advanced NAT | UPNP | VOIP | IGMP | MLD | Daily Application | DDNS |

VOIP Configuration

Advanced VOIP Configuration

Server Type:

Primary SIP Register Addr

SIP Register Addr:

Port:

Secondary SIP Register Addr

SIP Register Addr:

Port:

Primary SIP Proxy

Address:

Subscribe:

PORT:

Enable Outbound Proxy:

Outbound Proxy Addr:

Outbound Proxy Port:

SIP Domain:

Reg Expire (sec):

Enable Session timer:

Session Expire (sec):

Secondary SIP Proxy

Enable Secondary SIP:

Subscribe:

Address:

PORT:

Enable Outbound Proxy:

Outbound Proxy Addr:

Outbound Proxy Port:

SIP Domain:

Reg Expire (sec):

Enable Session timer:

Session Expire (sec):

Line1

Enabled:

Account number:

Account name:

Account password: 915322971422

WEB Manager

Gateway Name: IGD Logout

| | | | | | | | |
|---------------|--------------------|---------------------|------------------|------------------|--------------------------|----------|------|
| Status | Status | Network | Security | Application | Management | Diagnose | Help |
| | Device Information | WAN Connection Info | User Information | VOIP Information | Remote Management Status | | |
| | | | | | | | |

IPv4 Connection Information

IPv6 Connection Information

EPON Information

WAN Info

| Interface | VLAN ID | Protocol | IGMP | Status | IP Address | Netmask | MAC Address |
|----------------------|---------|----------|---------|--------|----------------|-----------------|-------------------|
| 1_VOICE_R_VID_1830 | 1830 | IPoE | Disable | up | 10.106.150.249 | 255.255.255.0 | 00:6d:61:58:48:8c |
| 2_INTERNET_R_VID_137 | 137 | PPPoE | Enable | up | 117.197.58.4 | 255.255.255.255 | 00:6d:61:58:48:8d |

NetWork Info

| Service Interface | Default Gateway | Primary DNS | Secondary DNS |
|----------------------|-----------------|-----------------|-----------------|
| 1_VOICE_R_VID_1830 | 10.106.150.1 | 8.8.8.8 | 4.4.4.4 |
| 2_INTERNET_R_VID_137 | 117.197.56.1 | 218.248.114.193 | 218.248.114.129 |

Internet Data Configuration

NETWORK

Enable VLAN : Select tik on it
 VLAN ID : 177 (By Service Provider)
 USER ID : ad5322971422_nid@ftth.bsnl.in (By Service Provider)
 PASSWORD : password (By Service Provider)

VOIP Configuration for Telephone

Static : Select tik on it
 Enable VLAN : Select tik on it
 VLAN ID : 1830 (By Service Provider)
 IP ADDRESS : 10.106.150.249 (By Service Provider)
 SUBNET : 255.255.255.0 (By Service Provider)
 DEFAULT Gateway : 10.12.46.1 (By Service Provider)
 Primart DNS : 172 (By Service Provider)
 Secondary DNS : 172.30.249.19 (By Service Provider)
 SERVICE : VOICE

CLICK APPLICATION THEN CLICK VOIP

Sip Registered Address :10.106.150.249 br.ftth.voip.bsnl.in (By Service Provider)
 Line Enable : Select tik on it
 Account Number : 915322971422 (By Service Provider)
 Account Name : 915322971422 (By Service Provider)
 Account Password : 0000 (915322971422)